AMENDMENTS TO THE CLAIMS:

This listing will replace all prior versions, and listings, of claims in the application:

LISTING OF CLAIMS:

- 1. (cancelled)
- 2. (cancelled)
- 3. (previously presented) A portable imaging system transportable by a user for scanning an image for later production of an image product, comprising:
- (a) a first and second member movable between an open and closed position;
- (b) a scanning area disposed in either the first or second member and accessible when the system is in the open position for receiving and scanning the image to produce a digital image;
 - (c) a memory for storing the digital image;
- (d) a communication port adapted to transmit the digital image from the portable imaging system over a communications network to a device for later production of the image product from the digital image; and

an image input device having an opening for receiving a removable digital image media to enable digital image input at said opening from said digital image media to the memory of the portable imaging system.

- 4. (previously presented) A portable imaging system transportable by a user for scanning an image for later production of an image product, comprising:
- (a) a first and second member movable between an open and closed position;

- (b) a scanning area disposed in either the first or second member and accessible when the system is in the open position for receiving and scanning the image to produce a digital image;
 - (c) a memory for storing the digital image;
- (d) a communication port adapted to transmit the digital image from the portable imaging system over a communications network to a device for later production of the image product from the digital image; and

an input device adapted to collect information associated with the digital image, and wherein the input device is a keyboard or a touchscreen display.

- 5. (cancelled)
- 6. (cancelled)
- 7. (previously presented) A portable imaging system transportable by a user for scanning an image for later production of an image product, comprising:
- (a) a first and second member movable between an open and closed position;
- (b) a scanning area disposed in either the first or second member and accessible when the system is in the open position for receiving and scanning the image to produce a digital image;
 - (c) a memory for storing the digital image;
- (d) a communication port adapted to transmit the digital image from the portable imaging system over a communications network to a device for later production of the image product from the digital image; and

display disposed in either the first or second member for displaying the digital image and for displaying an advertisement information when the system is in the open position.

- 8. (previously presented) A portable imaging system transportable by a user for scanning an image for later production of an image product, comprising:
- (a) a first and second member movable between an open and closed position;
- (b) a scanning area disposed in either the first or second member and accessible when the system is in the open position for receiving and scanning the image to produce a digital image;
 - (c) a memory for storing the digital image;
- (d) a communication port adapted to transmit the digital image from the portable imaging system over a communications network to a device for later production of the image product from the digital image; and

a software for tracking information associated with the digital image, wherein the information is an image name or a scanning date.

9. (cancelled)

- 10. (previously presented) A portable imaging system transportable by a user for scanning an image for later production of an image product, comprising:
- (a) a first and second member movable between an open and closed position;
- (b) a scanning area disposed in either the first or second member and accessible when the system is in the open position for receiving and scanning the image to produce a digital image;
 - (c) a memory for storing the digital image;
- (d) a communication port adapted to transmit the digital image from the portable imaging system over a communications network to a device for later production of the image product from the digital image; and

an audio input device for receiving audio information relating to the digital image.

11. (cancelled)

- 12. (previously presented) The portable imaging system of Claim 10, further comprising a second, redundant, memory to provide backup storage of the digital image to ensure the digital image is not lost.
 - 13. (cancelled)
 - 14. (cancelled)
 - 15. (cancelled)
 - 16. (cancelled)
- 17. (previously presented) A portable image capture device transportable by a user for scanning an original image for later production of an image product, comprising:
- a first and second member movable between an open and closed position;
- a scanning area disposed in either the first or second member and accessible when the system is in the open position for receiving and scanning the image to produce a digital image;
- a modulated light source for illuminating the original image, said modulated light source functioning as a display when the portable image capture device is in the open position and also functioning as a light source for the scanning area when the portable image capture device is in the closed position;
 - a memory for storing the digital image; and
- a communications means adapted to transmit the digital image stored in the memory to an image producing device for production of the image product from the digital image.

- 18. (cancelled)
- 19. (cancelled)
- 20. (cancelled)
- 21. (cancelled)
- 22. (previously presented) The portable imaging system of Claim 3, further comprising a second, redundant, memory to provide backup storage of the digital image to ensure the digital image is not lost.
- 23. (previously presented) The portable imaging system of Claim 4, further comprising a second, redundant, memory to provide backup storage of the digital image to ensure the digital image is not lost.
- 24. (previously presented) The portable imaging system of Claim 7, further comprising a second, redundant, memory to provide backup storage of the digital image to ensure the digital image is not lost.
- 25. (previously presented) The portable imaging system of Claim 8, further comprising a second, redundant, memory to provide backup storage of the digital image to ensure the digital image is not lost.
- 26. (previously presented) The portable imaging system of Claim 17 further comprising a second, redundant, memory to provide backup storage of the digital image to ensure the digital image is not lost.
- 27. (currently amended) A portable imaging system transportable by a user for scanning an image for later production of an image product, comprising:

- (a) a first and second member movable between an open and closed position;
- (b) a scanning area disposed in either the first or second member and accessible when the system is in the open position for receiving and scanning the image to produce a digital image;
 - (c) a memory for storing the digital image;
- (d) a communication port adapted to transmit the digital image from the portable imaging system over a communications network to a device for later production of the image product from the digital image; and

an-a video input device for receiving one or more video clip relating to the digital image.

- 28. (previously presented) A portable imaging system transportable by a user for scanning an image for later production of an image product, comprising:
- (a) a first and second member movable between an open and closed position;
- (b) a scanning area disposed in either the first or second member and accessible when the system is in the open position for receiving and scanning the image to produce a digital image;
 - (c) a memory for storing the digital image;
- (d) a communication port adapted to transmit the digital image from the portable imaging system over a communications network to a device for later production of the image product from the digital image; and

a modification input for zooming, cropping, or rotating the digital image before or after storage in memory.

29. (new) An imaging system, comprising:

a portable imaging device transportable by a user for scanning an image for later production of an image product, comprising:

- (a) a first and second member movable between an open and closed position;
- (b) a scanning area disposed in either the first or second member and accessible when the system is in the open position for receiving and scanning the image to produce a digital image;
 - (c) a memory for storing the digital image;
- (d) a communication port adapted to transmit the digital image from the portable imaging system over a communications network to a device for later production of the image product from the digital image; and

a kiosk communicably connectable to the portable imaging device, wherein the kiosk comprises a computer and a printing device.

30. (new) An imaging system, comprising:

a portable imaging device transportable by a user for scanning an image for later production of an image product, comprising:

- (a) a first and second member movable between an open and closed position;
- (b) a scanning area disposed in either the first or second member and accessible when the system is in the open position for receiving and scanning the image to produce a digital image;
 - (c) a memory for storing the digital image;
- (d) a communication port adapted to transmit the digital image from the portable imaging system over a communications network to a device for later production of the image product from the digital image; and

a printer communicably connected to the portable imaging device.